



# ULTRARACK

Networking Enclosure Solutions

NR SERIES



# Networking enclosure solutions


The **ULTRARACK** NR Series - provides a simple, stable and effective cabling platform for equipment within the rack frame. Extra space is provided to further enhance the front and rear cable management.

The NR Series is carefully engineered to provide flexibility and reconfigurability whilst maximizing your investment protection in both your technology and your valuable data storage.

The NR series has been tested through sequential loading to ensure it provides a safe working environment. For ease of installation and transport, the NR Series has medium duty braked castors and is static load rated to 500kgs.

To meet your specific requirements, the NR Series is available in 600mm and 800mm width. Three depth options of 600mm, 800mm and 900mm are available. Height options range from 17U to 42U.

▼ **Framework**  
holds a maximum load rating of 1100lb (500kg).



500kg

▲ Fully Open Base

▶ **Rolls through a 7 Foot Doorway**  
42U rack including casters or leveling feet with an overall height of 80inches/ 2,020mm only.



◀ **Protective Grounding Provisions**

◀ **Quick Release Side Panels**

◀ **Quick Release Doors**

▼ **Colour Options**

All models in two tone grey or black are available.




▼ **Swing handle lock**

Stylish single door lock bundled operates with the same key.



▼ **Overhead Cable Access**

Allows for easy cable access from both the top and bottom of the rack.



▼ **Unit Markings**

Located on mounting angles for easy installation of equipment.



▼ **Glass Door**  
Front Door with toughened safety glass, complete with brackets, fixings, door lock and keys.




▲ **Plain Side Panel**  
Quick release with slam latches.



◀ **Plain Top**  
Water-resistance

◀ **Fan Top**  
Top mounted with fan tray supplies proper air distribution to your equipment intakes.



▲ **Frame**

◀ **Vented Steel Door**  
Door perfectly fits to the front or rear of UltraRack, complete with hexagon ventilated infill area, brackets, fixings, door lock and keys.



Model No.		Width		Depth				Height			
				Overall		Effective		Overall		Effective	
		mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
NR-6617	17U	600	24"	670	26"	600	24"	910	36"	845	33"
NR-6817		600	24"	870	34"	800	31"	910	36"	845	33"
NR-6622	22U	600	24"	670	26"	600	24"	1,132	45"	1,067	42"
NR-6822		600	24"	870	34"	800	31"	1,132	45"	1,067	42"
NR-6627	27U	600	24"	670	26"	600	24"	1,354	53"	1,289	51"
NR-6827		600	24"	870	34"	800	31"	1,354	53"	1,289	51"
NR-6637	37U	600	24"	670	26"	600	24"	1,798	71"	1,733	68"
NR-6837		600	24"	870	34"	800	31"	1,798	71"	1,733	68"
NR-6937		600	24"	970	38"	900	35"	1,798	71"	1,733	68"
NR-8637		800	31"	670	26"	600	24"	1,798	71"	1,733	68"
NR-8837		800	31"	870	34"	800	31"	1,798	71"	1,733	68"
NR-6642	42U	600	24"	670	26"	600	24"	2,020	80"	1,955	77"
NR-6842		600	24"	870	34"	800	31"	2,020	80"	1,955	77"
NR-6942		600	24"	970	38"	900	35"	2,020	80"	1,955	77"
NR-8642		800	31"	670	26"	600	24"	2,020	80"	1,955	77"
NR-8842		800	31"	870	34"	800	31"	2,020	80"	1,955	77"

Overall Depth: Door to Door  
Effective Depth: Frame to Frame

Overall Height: w/ castors  
Effective Height: w/o castors

# Package Options

▶ **Standard Package**

- Basic Frame
- Front Glass Door
- Rear Steel Door
- Side Panels



◀ **Package A**

- Basic Frame



▶ **Package B**

- Basic Frame
- Front Glass Door
- Rear Steel Door




◀ **Package C**

- Basic Frame
- Side Panels




- Standard Package — Full Set
- Package A — Basic Frame
- Package B — Basic Frame + Doors
- Package C — Basic Frame + Side Panels


# Packing Form




▲ Individual Package



▲ Kit of 3 Packing



▲ Assembly Packing with Castors



▲ Assembly Packing with Pallet

Austin Hughes® has extensive distribution network, including Europe, the United States, the Middle East, Africa and Asia Pacific. Contact your nearest sales office for details of local representation.

**[www.austin-hughes.com](http://www.austin-hughes.com)**

Please ask for details of other products from Austin Hughes. Every effort has been made to ensure that the information contained herein is correct. The company reserves the right to modify product specifications without prior notice and assumes no responsibility for any error which may appear in this publication.

Copyright 2005 Austin Hughes Electronics Ltd. All rights reserved.

**Distributed by:**

**Distributor by country on application**